Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Data Sheet
Fujitsu LIFEBOOK P701 Notebook

Ultra-Mobile Performance to Go

LIFEBOOK P701

Highest performance level of all components as well as new high speed Intel® graphics and a 12.1-inch (30.7 cm) WXGA display make the slim and handy notebook a real mobile companion for all situations. Thanks to very low weight, robust design, anytime USB charge and much more the LIFEBOOK P701 is prepared for everyday business and mobile usage and grants effective working even for the most demanding of users.

Full performance mobility
Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.
- Intel® Core™i3 or Core™i5 processor with Intel® HM65 chipset

Maximum security
Protect your company data against unauthorized third-party access.
- Benefit from our end-to-end anti-theft concept with system and user protection, such as Computrace® enabled BIOS and Advanced Theft Protection, integrated SmartCard slot, optional fingerprint sensor, TPM module and OmniPass Security Software

Reliable companion
Secure and effective working even for the most demanding of users in all situations
- Spill-resistant keyboard, ShockSensor, integrated SmartCard
- Optional 0-Watt AC Adapter reduces energy consumption as it guarantees that the notebook does not consume electricity when it is turned off

Ergonomic working on the move
Enjoy constant access to all your data thanks to a versatile mobile device.
- ScrollWheel, anytime USB charge, long battery life with latest Li-Ion cells
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Ultimate connectivity
Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.
- Integrated DisplayPort, eSATA, optional USB 2.0, optional embedded 3G/UMTS, WLAN and Bluetooth®

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Components

Operating system	
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit
Operating system compatible	Genuine Windows® XP Professional Genuine Windows Vista® Business 32-bit
Operating system notes	Driver support for Microsoft® Windows® XP Dependent on configuration Windows 7® versions are: Microsoft Office 2007 ready Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite. Driver support for Microsoft® Windows® XP Professional Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
Supported capacity RAM (max.)	8 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Memory notes	DDR3 - 1333 MHz
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software Up to 18 GB of HDD space is reserved for system recovery
WLAN (optional)	Atheros Minicard b/g/n
	Intel® Centrino® 6205 802.11 a/b/g/n
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna
Bluetooth	Optional: Bluetooth
WLAN notes	Import and usage according to country-specific regulations.
WiDi support	Yes (with Intel W-LAN)
3G/UMTS (optional)	Sierra Wireless Gobi 3000 (downlink 14.4 Mbit/s, uplink 5.76 Mbit/s)
Bluetooth (optional)	Bluetooth 3.0
Display	30.7 cm (12.1-inch), LED backlight, (WXGA), Anti-glare display, 1280 x 800 pixel, 600, 200 cd/m²
Base unit	LIFEBOOK P701 12.1-inch

General system information			
Processor	Intel® Celeron® processor B810 (1.6 GHz), 2 MB, 800 MHz	Intel® Core™ i3-2310M* processor (2.10 GHz), 3 MB, 800 MHz	Intel® Core™ i5-2520M processor (2.5 GHz), 3 MB, 800 MHz
Chipset	Intel® HM65		
Chipset notes		supports iAMT 7.0	
BIOS features	BIOS based on Phoenix TrustedCore Notebook		
Processor notes		*Processor only for retail, SMB, education and government	
Graphics			
TFT resolution (DisplayPort)	up to 2560 x 1600		
TFT resolution (VGA)	up to 1920 x 1200		
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200		
Graphics brand name	Intel® HD Graphics		
Graphics features	DualView		
Graphics notes	Shared memory depending on main memory size and operating system		
Interfaces			
Memory card slots	1 (SD/MS/MSPro)	1 (SD)	
ExpressCard slots	1 (34mm supported)	1 (34mm supported)	
SmartCard slot	1	1	
SIM card slot	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)	
eSATA	1		
USB 2.0 total	3	3 (1 with Anytime USB Charge functionality)	
VGA	1	1	
DisplayPort	1	1	
Ethernet (RJ-45)	1	1	
DC-in	1	1	
Audio: line-in / microphone	1	1	
Audio: line-out / headphone	1	1	
Internal microphones	1 (digital)	1 (digital)	
Docking connector for Port Replicator	1	1	
Kensington Lock support	1	1	
Wired communication			
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 V		
Keyboard and pointing devices			
	Spill-resistant keyboard		
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm	
	EcoButton LockWorkstation button MobilityCenter button Touchpad with two mouse buttons and optional scroll button or fingerprint, supporting gesture functions Application buttons Status LED	Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel Optional: Fingerprint sensor Application buttons	
Multimedia			
Audio type	On board		
Audio codec	Realtek ALC269		
Audio features	Stereo speakers		
Camera			Optional: Built-in webcam, 1.3 megapixel

Power supply		
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology	
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter	
AC adapter	19 V / 80 W (4.22 A)	
Rated voltage range	100 V - 240 V (AC Input)	
Rated frequency range	50 Hz - 60 Hz	
1st battery	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh	
	Li-Ion battery 6-cell, 6200 mAh, 67 Wh	
Battery features	Rapid Charge	
Benchmark	Mobile Mark 2007 (readers mode – e.g. surfing the internet, writing E-mails, viewing documents)	
Runtime 1st battery	up to 8:30 h (tbd.)	up to 10 h
Battery charging time	~160min (5,800mAh) ~ 180min (6,200mAh)	
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	282 x 220 x 29mm f, 33mm r mm	283 x 215 x 26mm f, 33mm r mm
Weight	1.5 kg	1.56 kg
Weight notes	Actual weight may vary depending on configuration	
Operating ambient temperature	5 - 35°C	
Operating relative humidity	20 - 80 %	
Additional Software		
Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Fujitsu Recovery (Hard Disk Based Recovery)	
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)	Recovery DVD (Windows® 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)
Manageability		
Manageability features	DeskUpdate Driver management	
Manageability type	DeskView 10.x client management including:	
DeskView features	BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN)	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html	
Security		
Physical security	Kensington Lock support	

Security		
System security	Computrace® enabled BIOS Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 90 days version	
User security	Hard disk password Integrated SmartCard slot SMARTACCESS+ incl. fingerprint sensor & security software SystemLock BIOS SmartCard security User and supervisor BIOS password	Optional: Integrated fingerprint sensor including Omnipass software Integrated SmartCard slot Hard disk password User and supervisor BIOS password

Compliance	
Europe	CE
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronical equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® in progress
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Port Replicator interfaces (optional)	
DC-in	1 (supports also 0-Watt AC Adapter)
Power on switch	1
USB 2.0 total	4
DisplayPort	1 (not usable in parallel with DVI)
VGA	1
DVI	1 (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1
eSATA	1
Notes	Supports 0-Watt AC Adapter technology

Warranty	
Standard Warranty	1 year
Service level	Collect & Return Service / Bring-in Service (depending on county specific requirements)

Maintenance and Support Services - the perfect extension	
Recommended Service	5x9, Response Time: Next Business Day
Spare Parts availability	5 years
Service Weblink	htttp://ts.fujitsu.com/Supportservice

Recommended Accessories

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK P701, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P701, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT
FUJITSU Technology Solutions
Website: http://ts.fujitsu.com
2011-03-07 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions